```
✓ Page 16, line 2, change "2" to --22--;

        ✓ line 4, change "steam" to --air--;
       line 8, change "steam" to --air--;
       line 22, change (49)" to --49--;
       line 24, change, "(40)" to --40--;
       ✓ line 25, change/"(51)" to --51--;
       line 26, change/"(49)" to --49--;
       ✓ line 27, change "39" to --34--;
       l \sim 1 line 28, change f(52)" to --52--;
       line 29, change/"(41)" to --41--; and
       line 31, change "(21)" to --21--.
Page 17, line 2, change "(50)" to --50--, change "(51)" to --51--, and change "(52)"
Page 18, line 32, change "air" to --steam--.
Page 19, line 10, change "supply" to --recovery--; and
          line 15, charge "supply" to --recovery--.
Page 23, lines 30-32, delete "Japanese priority ... by reference."
```

## **IN THE CLAIMS:**

Please amend the claims as follows:

1. (Amended) An integrated coal gasification combined cycle power generator (IGCC) comprising:

a coal gasification system for producing a combustible gas from coal, wherein said gasification system supplies said combustible gas to a gas turbine system;

said gas turbine system comprises a gas turbine for performing expansion work using said combustible gas, wherein said gas turbine supplies exhaust gas to a heat recovery system;

said heat recovery system performs heat exchange, wherein said heat recovery system uses said exhaust gas supplied from said gas turbine as a heat source, and [is adapted to supply the] supplies steam generated in the heat exchange to a steam turbine system;

BI

said steam turbine system performs expansion work, said steam turbine system comprising a condenser to condense <u>said</u> steam <u>from said heat recovery system</u> into water, said water being supplied to a heat exchanger in said coal gasification system, where said water is heated to steam, and wherein said steam from said heat exchanger is supplied to at least one <u>high-temperature</u> section of the gas turbine system which is at a temperature higher than [the] <u>a</u> temperature of said steam <u>from said heat exchanger</u> [(high-temperature section)].

- 2. (Amended) An IGCC according to claim 1, wherein a higher-temperature steam is produced [from said steam] after cooling said high-temperature section of the gas turbine system with said steam <u>from said heat exchanger</u>, said higher-temperature steam is recovered from said <u>at least one</u> high-temperature section of the gas turbine system and supplied to a steam turbine in said steam turbine system.
- 3. (Amended) An IGCC according to claim 2, wherein said <u>at least one</u> hightemperature section of the gas turbine system is at least one of said gas turbine and a gas turbine combustor.
- 4. (Amended) An IGCC according to claim 3, further comprising a gasification substance producing unit in said coal gasification system for producing an oxygen gas and a nitrogen gas from air, said gasification substance producing unit [being adapted to supply] supplying said oxygen gas to a coal gasification unit in said coal gasification system, wherein:

said coal gasification unit [is adapted to receive] <u>receives</u> said oxygen gas from said gasification substance producing unit and [to receive] <u>receives</u> coal from a coal supplying unit;

said coal gasification unit burns the coal from said coal supplying unit with the oxygen gas from said gasification substance supplying unit, producing said combustible gas and introducing said combustible gas into a cooling unit <u>in said coal gasification system</u>;

said cooling unit cools said combustible gas from said coal gasification unit, said cooling unit being in fluid connection with a gas cleanup unit <u>in said coal gasification</u>

<u>system;</u> and



said gas cleanup unit removes impurities from said combustible gas.

7. (Amended) An IGCO according to claim 6, wherein said gas turbine system comprises an air compressor that supplies air to <u>said</u> at least one high temperature section of the gas turbine system for the purpose of cooling said <u>at least one</u> high-temperature section, producing a higher-temperature air, and wherein

said higher-temperature air is recovered after cooling said <u>at least one</u> high-temperature section and supplied to said heat recovery system.

8. (Amended) An IGCC according to claim 5, further comprising:

a detector for detecting a calorific value of said combustible gas from said gas cleanup unit; and

a controller for controlling [the]  $\underline{a}$  flow rate of said combustible gas based on said calorific value.

9. (Amended) An IGCC according to claim 5, further comprising:

a detector for detecting a calorific value of said combustible gas from said gas cleanup unit; and

a controller for controlling the flow rate of [high pressure] <u>pressurized</u> air from an air compressor <u>supplied to said gasification substance producing unit</u> based on said calorific value.

10. (Amended) An IGCC according to claim 1, wherein a higher-temperature steam is produced [from said steam] after cooling said at least one high-temperature section of the gas turbine system with said steam from said heat exchanger, and wherein

said higher-temperature steam is recovered from said at least one high-temperature section of the gas turbine system and supplied to said heat recovery system.

11. (Amended) An IGCC according to claim 10, wherein said <u>at least one</u> high temperature section of the gas turbine system is at least one of said gas turbine and a gas turbine combustor.

12. (Amended) An IGCC according to claim 11, comprising a gasification substance producing unit in said coal gasification system for producing an oxygen gas and a nitrogen gas from air, said gasification substance producing unit [being adapted to supply] supplying said oxygen gas to a coal gasification unit in said coal gasification system, wherein

said coal gasification unit [is adapted to receive] <u>receives</u> said oxygen gas from said gasification substance producing unit and [to receive] <u>receives</u> coal from a coal supplying unit,

said coal gasification unit burns the coal from said coal supplying unit with the oxygen gas from said gasification substance supplying unit, producing [a] said combustible gas and introducing said combustible gas into a cooling unit in said coal gasification system,

said cooling unit cools the combustible gas from said coal gasification unit, said cooling unit being in fluid connection with a gas cleanup unit in said coal gasification system, and

said gas cleanup unit removes impurities from said combustible gas.

14. (Amended) An IGCC according to claim 10, wherein air generated in an air compressor in said gas turbine system is supplied to <u>said</u> at least one high temperature section of the gas turbine system for the purpose of cooling said <u>at least one</u> high-temperature section, producing a higher-temperature air, said higher-temperature air is recovered after cooling said <u>at least one</u> high-temperature section and supplied to said heat recovery system.

15. (Amended) An IGCC according to claim [1] 10, wherein said higher-temperature steam is recovered from said high-temperature section of the gas turbine system and supplied to said heat recovery system and to said steam turbine.